


Eficacy report


BLUEBERRIES ROTTEN EVOLUTION				
		7 DAYS	14 DAYS	21 DAYS
CONTROL	0,00	1,21	3,40	8,73
SANIBLUES	0,00	0,37	1,44	3,68



Eficacy report

8 DAYS AVERAGE			
	% NOT COMMERCIAL FRUIT (ROTTEN)	% COMMERCIAL FRUIT	N
CONTROL	1,21	98,80	45
SANIBLUES	0,37	99,63	44


NO COMMERCIAL FRUIT AFTER 8 DAYS COLD



Eficacy report

AVERAGE 14 DAYS			
	% NOT COMMERCIAL FRUIT (ROTTEN)	% COMMERCIAL FRUIT	N
CONTROL	3,40	96,60	36
SANIBLUES	1,44	98,56	36


NO COMMERCIAL FRUIT AT 14 DAYS COLD



Efficacy report

AVERAGE 21 DAYS			
	% NOT COMMERCIAL FRUIT (ROTTEN)	% COMMERCIAL FRUIT	N
CONTROL	8,73	91,27	35
SANIBLUES	3,68	96,30	35


NO COMMERCIAL FRUIT AFTER 21 DAYS COLD



Eficacy report

TOTAL AVERAGE			
	% NOT COMMERCIAL FRUIT (ROTTEN)	% COMMERCIAL FRUIT	N
CONTROL	4,16	95,85	116
SANIBLUES	1,71	98,28	115

NO COMMERCIAL FRUIT TOTAL AVERAGE





www.sanifruit.com